

Моя профессиональная
карьера

ISSN

INTERNATIONAL
STANDARD
SERIAL
NUMBER

ISSN

2782-4365

Проверить
номер:



Научно-образовательный электронный журнал

ОБРАЗОВАНИЕ И НАУКА В XXI ВЕКЕ

Выпуск №74-3 (том 2)
(май, 2026)




Google
Scholar



Периодичность выпуска: 1 раз в неделю

Сайт: mpcareer.ru/oinv21veke. Почта: obrmppcareer@mail.ru



Международный научно-образовательный
электронный журнал
«ОБРАЗОВАНИЕ И НАУКА В XXI ВЕКЕ»

ISSN 2782-4365

УДК 37

ББК 94

**Международный научно-образовательный электронный журнал
«ОБРАЗОВАНИЕ И НАУКА В XXI ВЕКЕ». Выпуск №74-3 (том 2) (май,
2026). Дата выхода в свет: 18.05.2026.**

Журнал объединяет авторов на территории стран СНГ и помогает обмениваться передовыми научно-образовательными исследованиями.

Содержит научные работы отечественных и зарубежных авторов по экономическим, техническим, философским, юридическим и другим наукам.

Миссия научно-образовательного электронного журнала «ОБРАЗОВАНИЕ И НАУКА В XXI ВЕКЕ» состоит в поддержке интереса читателей к оригинальным исследованиям и инновационным подходам в различных тематических направлениях, которые способствуют распространению лучшей отечественной и зарубежной практики в интернет пространстве.

Целевая аудитория журнала охватывает работников сферы науки и образования (педагоги, учителя, ученые, преподаватели, научные сотрудники, бакалавры, магистранты, аспиранты).

Материалы публикуются в авторской редакции. За соблюдение законов об интеллектуальной собственности и за содержание работ ответственность несут авторы работ. Мнение редакции может не совпадать с мнением авторов научных работ. При использовании и заимствовании материалов ссылка на издание обязательна.

© ООО «МОЯ ПРОФЕССИОНАЛЬНАЯ КАРЬЕРА»

© Коллектив авторов

Allyyev Mekan, Hojamova Lachyn, Bayramov Nurmuhamet STRUCTURAL AND FUNCTIONAL DESIGN OF OPEN CASE 5 STAGE PUMPED WATER PURIFICATION UNIT	158
Mamedov Ahmet, Allagulyyev Begench BLOCKCHAIN-BASED DATA PROTECTION IN DIGITAL INFRASTRUCTURE	167
Annamyradova Selbinyyaz Batyrovna, Yazyyev Erkin Nuryagdyevich BORROWED WORDS IN ENGLISH	171
Агамырат Гельдимырадов Байрамович СОВРЕМЕННЫЕ МЕТОДЫ АНАЛИЗА ЛИПИДОВ В БИОЛОГИЧЕСКИХ СИСТЕМАХ	175
Аннамуратова Гульбахар Гылычмуратовна ОСОБЕННОСТИ ЛИХОРАДОЧНОГО СИНДРОМА ПРИ ВНУТРЕННИХ БОЛЕЗНЯХ	184
Аннамуратова Гульбахар Гылычмуратовна РОЛЬ ТЕЛЕМЕДИЦИНЫ В ТЕРАПЕВТИЧЕСКОЙ ПРАКТИКЕ	189
Реджепова Майса Джумайевна ЗНАЧЕНИЕ И МЕТОДИКА ПРЕПОДАВАНИЯ РУССКОГО ЯЗЫКА ДЛЯ СТУДЕНТОВ МЕДИЦИНСКИХ ВУЗОВ	199
Amanalyyeva Gulshat Batyrovna, Baynazarova Jennet Baynazarovna, Ashyrmuradov Bayrammyrat Ashyrmurat ogly EFFECTIVE STRATEGIES FOR TEACHING VOCABULARY	206
Babajanov Rowshen, Gawirova Oguljan ENERGY-EFFICIENT CYBERSECURITY METHODS FOR IOT SYSTEMS	213
Abduraxmanova Mohichexra Xabib qizi GRAFIK DIZAYNDA SUN'Y INTELLEKT INQILOBI	217
Eziz Kakyshov, Gurbandurdy Tekedurdyyev TECHNOLOGY SELECTION RATIONALE: NEXT.JS, REACT, TYPESCRIPT, SQLITE, AND MATHEMATICAL LIBRARIES	224
Bayramova Nurjemal, Gurbanov Sohbet, Kichigulyyev Gulmyrat, Nuriyev Jelil DEVELOPMENT OF AN AUTONOMOUS SMART VISION ROBOT DESIGNED FOR REAL-TIME HUMAN MOVEMENT TRACKING AND FOLLOWING	229
Atamyrat Altyyev, Ogulkeyik Almazova, Hanova Aynabat POSSIBILITIES OF CREATING HYDROPONIC SYSTEM DEVICE	238
Merdanov Myratmuhammet, Artyklyyev Komekmyrat IMPACT OF VIRTUALIZATION ON DIGITAL INFRASTRUCTURE SECURITY	246

ФИО автора(-ов): *Allyyev Mekan*

Dean of Cyberphysical systems faculty

Oguz han Engineering and technology university of Turkmenistan

Hojamova Lachyn

Teacher at Cyberphysical systems faculty

Oguz han Engineering and technology university of Turkmenistan

Bayramov Nurmuhammet

Student of Cyberphysical systems faculty

Oguz han Engineering and technology university of Turkmenistan

Название публикации: «STRUCTURAL AND FUNCTIONAL DESIGN OF OPEN CASE 5 STAGE PUMPED WATER PURIFICATION UNIT»

Annotation: *The increasing demand for safe and clean drinking water has accelerated the development of compact and efficient water purification technologies.*

Among these systems, multi-stage pumped water purification units have gained significant attention due to their ability to remove physical, chemical, and biological contaminants through sequential filtration and treatment processes. This article examines the structural and functional design of an open case five-stage pumped water purification unit intended for domestic and small-scale industrial applications.

The study focuses on system architecture, mechanical structure, fluid flow management, filtration mechanisms, and operational performance. Furthermore, the article analyzes the integration of pumping systems, filtration stages, and maintenance considerations that contribute to purification efficiency and system reliability. The findings demonstrate that properly designed multi-stage purification systems can achieve high water quality standards while maintaining operational stability, compactness, and energy efficiency.

Keywords: *Water purification, five-stage filtration, pumped purification unit, filtration system, water treatment, reverse osmosis, fluid dynamics, purification technology, open case design, water quality*

1. Introduction

Access to clean and safe drinking water remains one of the most critical global challenges in modern society. Rapid industrialization, urban population growth, environmental pollution, and aging water infrastructure have significantly increased concerns regarding water quality and public health. As a result, the development of efficient and reliable water purification technologies has become an important area of engineering and environmental research. Conventional water treatment methods are often insufficient for removing all forms of contaminants present in modern water supplies. Suspended particles, dissolved salts, heavy metals, microorganisms, and chemical pollutants require multi-stage treatment processes capable of addressing different contamination categories simultaneously. This need has led to the development of advanced filtration systems that combine mechanical, chemical, and membrane-based purification technologies.

Five-stage pumped water purification units are widely recognized for their ability to achieve high purification performance through sequential treatment stages. These systems typically integrate sediment filtration, activated carbon treatment, membrane filtration, post-carbon polishing, and mineral balancing processes. The addition of a pumping mechanism enhances water pressure stability and improves filtration efficiency, particularly in low-pressure supply environments.

The structural design of water purification systems significantly influences their operational effectiveness, durability, and maintenance requirements. Open case designs have gained popularity due to their accessibility, modularity, and ease of maintenance. Such configurations allow users and technicians to monitor system components directly, simplify filter replacement procedures, and improve airflow for thermal management. The integration of pumping systems introduces additional engineering considerations related to fluid dynamics, pressure regulation, vibration control, and

energy efficiency. Effective coordination between hydraulic and filtration components is essential for maintaining consistent purification performance across all treatment stages.

In addition to mechanical considerations, material selection plays a major role in purification system reliability. Components must resist corrosion, pressure fluctuations, chemical exposure, and microbial contamination while ensuring long operational lifespans and compliance with safety standards. Modern purification systems increasingly incorporate intelligent monitoring technologies, including pressure sensors, water quality indicators, and automatic shutoff mechanisms. These features improve operational safety, optimize maintenance scheduling, and enhance user convenience.

2. Theoretical Principles of Multi-Stage Water Purification Systems

The theoretical foundation of multi-stage water purification systems is based on the principle that different contaminants require different treatment mechanisms for effective removal. Water contains various impurities, including suspended solids, microorganisms, dissolved chemicals, and organic compounds. A single filtration process is generally insufficient for addressing all contamination categories simultaneously.

The first stage of purification typically focuses on mechanical sediment removal. Sediment filters are designed to capture large particles such as sand, rust, dust, and suspended debris. This stage protects downstream components from clogging and mechanical damage while improving the effectiveness of subsequent filtration processes. Activated carbon filtration represents another important purification principle. Carbon materials possess highly porous structures capable of adsorbing chlorine, volatile organic compounds, odors, and unpleasant tastes from water. Adsorption occurs through surface-level molecular interactions between contaminants and the carbon material.

Membrane filtration technologies, particularly reverse osmosis, form the core purification mechanism in advanced water treatment systems. Reverse osmosis

membranes utilize semi-permeable structures that allow water molecules to pass while blocking dissolved salts, bacteria, viruses, and heavy metals. This process operates under pressure-driven fluid separation principles. Pressure dynamics play a critical role in filtration performance. Pumped systems maintain stable water pressure to ensure consistent membrane operation and optimized flow rates. Inadequate pressure can reduce purification efficiency and decrease membrane lifespan.

Fluid dynamics theory also influences system design. Water flow velocity, turbulence, and pressure distribution affect contaminant removal efficiency and filter loading characteristics. Proper hydraulic balancing minimizes energy loss and improves operational stability. Microbiological purification mechanisms are another important aspect of multi-stage systems. Filtration stages and membrane barriers physically block microbial contaminants, while activated carbon may reduce certain organic compounds that support bacterial growth.

Post-treatment stages are often incorporated to improve water taste and mineral balance. Post-carbon filters remove residual odors and improve sensory quality, while remineralization stages may restore beneficial minerals removed during reverse osmosis treatment. System reliability depends heavily on sequential stage coordination. Each filtration stage is designed to complement the others, creating a cumulative purification effect that improves overall water quality.

Finally, theoretical purification efficiency is influenced by external factors such as feed water composition, temperature, pressure stability, and filter maintenance conditions. Understanding these variables is essential for optimizing long-term system performance.

3. Structural and Mechanical Design of the Open Case Purification Unit

The structural design of an open case five-stage purification unit directly affects accessibility, maintenance efficiency, and operational durability. Open case configurations are specifically designed to expose major system components for easier inspection and servicing while maintaining stable structural support. The system frame forms the primary structural foundation. Frames are typically constructed from

corrosion-resistant materials such as stainless steel, aluminum alloys, or reinforced polymer composites. Structural rigidity is essential for supporting filters, pumps, tubing, and storage components under operational loads.

Component arrangement within the open case structure must optimize spatial efficiency and functional accessibility. Filtration stages are generally positioned sequentially to simplify water flow routing and maintenance procedures. Logical arrangement also improves troubleshooting and component replacement. Filter housing design is another critical mechanical consideration. Housings must withstand pressure fluctuations while ensuring leak-free operation. Transparent housings are sometimes used for sediment filters to allow visual monitoring of contamination accumulation.

Pump integration requires careful mechanical planning. Pumps generate vibrations and mechanical stress that can affect structural stability and noise levels. Vibration damping materials and secure mounting systems are therefore integrated into the design. Tubing and connector systems are responsible for maintaining reliable fluid transport between stages. Flexible food-grade tubing materials are commonly used due to their chemical resistance and ease of installation. Connector quality significantly influences leakage prevention and long-term durability.

The open case design also improves thermal management. Pumps and electrical components generate heat during operation, and exposed configurations allow improved airflow and passive cooling compared to enclosed systems. Storage tank integration is another important structural consideration. Pressurized storage tanks must be positioned to maintain system balance and facilitate efficient water delivery. Tank materials must comply with water safety standards and resist internal pressure stress.

Electrical integration introduces additional design requirements. Power supplies, pump controllers, and sensor systems must be isolated from water pathways to prevent electrical hazards. Protective enclosures and cable management systems improve operational safety. Modular structural architecture enhances maintainability and

scalability. Modular systems allow individual components to be upgraded or replaced without redesigning the entire purification unit.

4. Hydraulic Operation and Functional Mechanisms of the Purification Unit

The hydraulic operation of a five-stage pumped purification system involves coordinated water flow regulation, pressure management, and filtration sequencing. Efficient hydraulic design ensures stable purification performance and prevents operational disturbances.

The purification process begins with water intake from the primary supply line. Feed water first passes through pre-filtration stages that remove large contaminants before entering sensitive membrane components. Proper intake regulation minimizes pressure fluctuations and flow instability. The sediment filtration stage serves as the initial hydraulic barrier. By removing coarse particles, this stage reduces flow obstruction risks and protects downstream filtration elements from premature fouling. Activated carbon filtration follows the sediment stage and operates primarily through adsorption mechanisms. Water flow through porous carbon structures allows dissolved contaminants to interact with the carbon surface for effective chemical purification.

The pumping mechanism significantly influences hydraulic efficiency. Booster pumps increase feed pressure to levels required for effective reverse osmosis membrane operation. Pressure stabilization improves contaminant rejection rates and water production consistency.

Reverse osmosis filtration represents the most hydraulically demanding stage. High-pressure water is forced through semi-permeable membranes that separate purified water from concentrated waste streams. Membrane efficiency depends on pressure consistency and controlled flow rates. Flow restrictors and check valves regulate hydraulic balance throughout the system. These components prevent backflow, maintain pressure stability, and optimize membrane operating conditions.

Post-filtration stages refine the purified water before delivery. Post-carbon filters remove residual tastes and odors, while mineralization cartridges may restore calcium and magnesium ions for improved taste and nutritional quality. Storage and dispensing

systems also contribute to hydraulic functionality. Pressurized tanks maintain purified water availability and stabilize output flow rates during user demand variations. Automatic shutoff valves and pressure switches improve operational safety and efficiency. These mechanisms prevent overflow conditions, reduce unnecessary pump operation, and extend component lifespan.

Finally, hydraulic performance is influenced by environmental and operational conditions such as feed water temperature, inlet pressure variability, and filter aging. Continuous monitoring and maintenance are therefore essential for ensuring long-term purification effectiveness.

5. Conclusion

The structural and functional design of an open case five-stage pumped water purification unit represents an important advancement in modern water treatment technology. By integrating sequential filtration mechanisms, hydraulic pressure regulation, and modular structural design, these systems achieve high purification efficiency while maintaining operational reliability and accessibility.

This article has demonstrated that successful purification system development requires careful coordination between theoretical filtration principles, mechanical architecture, hydraulic operation, and performance optimization strategies. Each subsystem contributes directly to the overall effectiveness and durability of the purification unit. The integration of pumping systems, reverse osmosis membranes, activated carbon filtration, and intelligent monitoring technologies significantly improves water quality and operational stability. At the same time, challenges related to energy consumption, membrane fouling, and wastewater generation continue to motivate further engineering research and innovation.

Future developments in advanced materials, smart sensing technologies, and sustainable purification methods are expected to produce increasingly efficient and intelligent water treatment systems. As global demand for clean drinking water continues to grow, multi-stage purification technologies will remain essential components of modern environmental and public health infrastructure.

References

1. Gedayev S., Orazov Y. Realization of Green Engineering at ETUT //Journal of Sustainability Perspectives. – 2023. – C. 435-438.
2. Gupta M. et al. A novel vision-based tracking algorithm for a human-following mobile robot //IEEE Transactions on Systems, Man, and Cybernetics: Systems. – 2016. – T. 47. – №. 7. – C. 1415-1427.
3. Mezilov G. et al. Sustainable Water Management Practices at ETUT: Innovations and Policies //Journal of Sustainability Perspectives. – 2024. – T. 4. – C. 559-575.
4. Orazov Y. et al. A Hybrid Bit-Reordering and Permutation-Based Cryptographic Technique for Secure Communication //2025 International Conference on Computational Intelligence and Knowledge Economy (ICCIKE). – IEEE, 2025. – C. 474-477.
5. Doi M. et al. Real-time vision system for autonomous mobile robot //Proceedings 10th IEEE International Workshop on Robot and Human Interactive Communication. ROMAN 2001 (Cat. No. 01TH8591). – IEEE, 2001. – C. 442-449.
6. Atayeva S., Garlyyeva C., Orazov Y. Innovative approach to training sustainable engineers //Journal of Sustainability perspectives. – 2023. – C. 361-367.
7. Orazov Y. et al. A Practical and Affordable EEG-Based Methodology for Detecting Neurodegenerative Diseases: Insights for Education and Research //Proceedings of the Sixth International Conference on Digital Age & Technological Advances for Sustainable Development. – 2025. – C. 60-65.
8. Mezilov G. et al. Advancing Sustainability through Energy Innovation and Climate Action: Insights from ETUT //JOURNAL OF SUSTAINABILITY PERSPECTIVES Учредители: Institute of Research and Community Services Diponegoro University (LPPM UNDIP). – 2024. – T. 4. – C. 425-441.
9. Shah H. N. M., Rashid M. Z. A., Tam Y. T. Develop and Implementation of Autonomous Vision Based Mobile Robot Following Human //International Journal of Advanced Science and Technology. – 2013. – T. 51. – №. 2. – C. 81-91.

10. Atayeva G. et al. Cyber Physical System for Physical Chessboard Game on Computer Screen in a Real Time //2024 3rd International Conference on Computational Modelling, Simulation and Optimization (ICCMSO). – IEEE, 2024. – C. 278-282.

11. Mezilov G. et al. Developing a Sustainable University Model for Turkmen Universities: A Case Study of ETUT //Green Metric in Higher Education-Measuring and Reporting on Sustainability Initiatives at Higher Education Institutions. – Cham : Springer Nature Switzerland, 2026. – C. 659-681.

© *Allyyev M., Hojamova L., Bayramov N.*, 2026